


ALLOY 6060 : 5 METRE LENGTHS

SECTION	EX STOCK	SIZE mm		RADII mm	KILO / METRE	PERIMETER mm
		A	T	R		
	*	9.50	3.18		0.082	25.4
60007		12.00	3.00	0.25	0.097	29.6
	*	12.00	4.50		0.146	30.0
60050	*	12.00	6.00	0.20	0.195	35.7
90055	*	12.70	9.53		0.328	44.5
30569	✓	15.00	3.00	0.30	0.122	35.5
30036	✓	19.00	3.00	0.80	0.153	42.6
30290	✓	19.00	4.50		0.232	47.0
30291	✓	19.00	6.00		0.309	50.0
30276	*	20.00	3.00	full radius	0.157	43.4
60082	*	20.00	4.00	0.30	0.216	47.5
60112	*	22.50	6.00	full radius	0.345	51.8
30591	✓	25.00	1.60	0.20	0.108	52.9
31085	*	25.00	2.50	0.50	0.169	54.1
30311	✓	25.00	3.00		0.203	56.0
30292	✓	25.00	4.50		0.305	59.0
60155	*	25.00	5.00	0.20	0.339	59.7
30293	✓	25.00	6.00		0.406	62.0
30294	✓	25.00	9.00		0.610	68.0
60145	*	25.00	10.00	full radius	0.619	61.4
30577	✓	25.00	12.00	0.30	0.813	73.5
30067	*	25.40	4.00	full radius	0.266	55.4
30029	*	25.40	12.70	0.25	0.874	75.8
30981	*	27.00	3.00	0.20	0.220	59.7
31039	*	30.00	3.00	full radius	0.239	63.4
60214	*	30.00	4.00	2.00	0.316	64.6
60202	✓	30.00	6.00	0.30	0.488	71.5
60205	*	30.00	12.00	0.30	0.975	83.5
30295	✓	32.00	3.00		0.260	70.0
30578	✓	32.00	4.50	0.30	0.390	72.5
90157	✓	32.00	10.00		0.867	84.0
30579	*	38.00	3.00	0.30	0.309	81.5
30580	✓	38.00	4.50	0.30	0.463	84.5
30296	*	38.00	6.00		0.618	88.0
30297	✓	38.00	9.00		0.927	94.0
90057	*	38.10	25.40		2.610	127.0
30001	✓	40.00	3.00	full radius	0.320	83.4

A = Width B = Height T = Thickness R = External Radii

* Mill runs only, please ask regarding the availability of these

Other stock lengths available in this size. If the product you require is not listed please enquire




ALLOY 6060 : 5 METRE LENGTHS

SECTION	EX STOCK	SIZE mm		RADII mm	KILO / METRE	PERIMETER mm
		A	T	R		
60040	✓	40.00	6.00	0.30	0.650	91.5
60182	✓	40.00	10.00	0.30	1.084	99.5
90168	✓	40.00	12.00		1.301	104.0
60063	*	50.00	1.60	0.20	0.216	102.7
30581	✓	50.00	3.00	0.30	0.406	105.5
30298	✓	50.00	4.50		0.610	109.0
30075	✓	50.00	6.00	0.25	0.813	111.6
90235	✓	50.00	8.00		1.080	116.0
30076	✓	50.00	10.00	0.25	1.355	119.6
30299	✓	50.00	12.00		1.626	124.0
90038	✓	50.00	20.00		2.710	140.0
30300	✓	50.00	25.00		3.387	150.0
30099	*	55.00	2.05		0.306	114.1
60028	✓	60.00	3.00	0.50	0.487	125.1
60043	*	60.00	5.00	full radius	0.798	125.7
90049	✓	60.00	6.00		0.972	132.0
30640	✓	60.00	10.00	0.30	1.626	139.5
30516	✓	65.00	6.00	0.20	1.057	141.7
10727	*	68.00	3.00		0.553	142.0
30582	*	70.00	20.00	0.30	3.794	179.5
60058	*	74.50	2.50	0.30	0.505	153.5
60195	*	75.00	2.00	0.30	0.406	154.0
31114	*	75.00	1.60	0.30	0.325	152.7
30301	✓	75.00	3.00		0.610	156.0
30078	✓	75.00	6.00	0.25	1.219	161.6
30934	*	75.00	10.00	0.25	2.032	169.6
30456	✓	75.00	12.00	0.30	2.439	173.5
30583	✓	75.00	20.00	0.30	4.065	189.5
60046	*	80.00	1.40	0.30	0.303	162.3
30772	*	80.00	1.50	0.25	0.325	162.6
60044	*	80.00	6.00	full radius	1.280	166.8
60161	*	90.00	2.50	0.30	0.609	184.5
31116	*	90.00	12.00	0.30	2.927	203.5
30838	*	100.00	1.60	0.50	0.433	203.3
60160	*	100.00	2.00	0.30	0.542	203.5
30302	✓	100.00	3.00		0.813	206.0
30518	✓	100.00	5.00	0.50	1.354	209.1
30077	✓	100.00	6.00	0.25	1.626	211.6

A = Width B = Height T = Thickness R = External Radii

* Mill runs only, please ask regarding the availability of these

Other stock lengths available in this size. If the product you require is not listed please enquire



ALLOY 6060 : 5 METRE LENGTHS

SECTION	EX STOCK	SIZE mm		RADII mm	KILO / METRE	PERIMETER mm
		A	T	R		
30490	✓	100.00	10.00	0.50	2.710	219.2
30303	✓	100.00	12.00		3.252	224.0
	*	100.00	25.00		6.775	250.0
30304	✓	101.60	9.00		2.478	221.2
60059	*	102.50	2.50	0.30	0.694	209.5
60162	*	112.00	3.00	0.30	0.910	229.5
60060	*	116.50	2.50	0.30	0.789	237.5
60002	✓	125.00	6.00	0.30	2.032	261.5
60125	✓	125.00	10.00	0.30	3.387	269.5
60061	*	126.00	2.50	0.30	0.853	256.5
60074	*	143.50	3.00	0.30	1.166	292.5
60083	*	150.00	1.60	full radius	0.649	301.8
60011	*	150.00	2.00	0.50	0.812	303.1
60025	✓	150.00	5.00	0.30	2.032	309.5
30709	✓	150.00	10.00	0.20	4.065	319.7
30805	✓	150.00	12.00	0.20	4.878	323.7
30826	*	165.00	8.00	0.30	3.577	345.5
60151	✓	200.00	10.00	0.20	5.420	419.7
30584	✓	200.00	12.00	0.30	6.504	423.5

A = Width B = Height T = Thickness R = External Radii

* Mill runs only, please ask regarding the availability of these

Other stock lengths available in this size. If the product you require is not listed please enquire