




ALLOY 5005 : 5052



EX STOCK	THICKNESS mm	WIDTH mm	LENGTH mm	ALLOY TYPE	TEMPER	KILO / SHEET
	T	W	L			
✓	4.0	1200	2400	5005	H32	31.10
*	4.0	1200	4800	5005	H32	62.20
✓	5.0	1200	2400	5005	H32	38.88
*	5.0	1200	4800	5005	H32	77.76
*	6.0	1200	2400	5005	H32	46.65
*	6.0	1200	4800	5005	H32	93.31

✓	4.0	1200	2400	5052	H32	30.87
✓	4.0	1200	4800	5052	H32	61.74
✓	4.0	1500	3000	5052	H32	48.24
✓	4.0	1500	3600	5052	H32	57.88
✓	4.0	1500	4900	5052	H32	79.38
✓	4.0	1500	5400	5052	H32	87.80
✓	4.0	1830	6100	5052	H32	119.66
✓	5.0	1200	2400	5052	H32	38.59
*	5.0	1200	4800	5052	H32	77.18
✓	5.0	1500	3000	5052	H32	60.30
✓	5.0	1500	3600	5052	H32	72.36
✓	6.0	1200	2400	5052	H32	46.31
*	6.0	1200	4800	5052	H32	92.62
✓	6.0	1500	3000	5052	H32	72.36
✓	6.0	1500	3600	5052	H32	86.83
✓	8.0	1500	3000	5052	H32	97.56
✓	12.0	1200	3000	5052	H32	115.78

W = Width L = Length T = Thickness

* Please ask regarding the ex stock availability

Indent available for alternative sizes and thickness

All weights shown are theoretical and the actual weight may vary